

ApeosPort-V C7785 / C6685 / C5585

Superior productivity through leading-edge simplicity





To excel in business today you need industry leading performance and convenience features that streamline processes and increase productivity

Fuji Xerox, as your technology partner, will provide you with solutions that get things done. On time and without a second thought.

An opportunity can present itself when least expected and you need to have the technology and solutions at hand to react quickly. Fuji Xerox gives you the tools to streamline workflows, create new efficiencies, and take the productivity of your team to a higher level.



	ApeosPort-V C7785	ApeosPort-V C6685	ApeosPort-V C5585
Colour	70 ppm	60 ppm	50 ppm
B/W	75 ppm	65 ppm	55 ppm



Super G3 Supported



Colour B/W: 100 ppm 1 pass, 2 sided scanning: 200 ppm



Speed and quality for faster, more efficient business

Boosting Productivity and User Friendliness

The new ApeosPort-V series includes features that deliver genuine productivity gains. These include a high quality output resolution of 2400 dpi.

High-speed continuous output is available in both monochrome and colour, to suit your current priorities, and you know you can count on superior engine reliability.



Real 2400 dpi High Resolution

The ApeosPort-V series is capable of achieving a full-colour output resolution of 2400 dpi. Fuji Xerox has adopted Multibeam Scan technology with the vertical cavity surface emitting laser VCSEL, which emits 32 beams. The HQ digital screen "MACS" technology provides a much smoother representation of gradation and halftone. Bi-directional image and edge enhancement processes produce crisp, smooth text and fine lines.

Scan and copy more, faster

The 250-sheet capacity, single pass duplex document feeder allows both sides of a document to be scanned simultaneously at up to an incredible 200 images per minute for exceptional productivity.

Exceptional media flexibility

Print brilliant, attention-grabbing images on a variety of recommended stock as large as SRA3 and on paper weights up to 300 gsm, and take advantage of impressive finishing capabilities from saddle-stitch booklets to folded brochures.

Onboard scanning solutions

Dramatically increase your workflow efficiency with these onboard scanning solutions: on-box Optical Character Recognition with searchable PDF creation; secure PDF; scan to USB device; Scan to Email, Folder, and Network*. Plus, single pass scanning simultaneously scans both sides of two-sided documents, while high compression technology reduces file sizes.

*Optional accessories may be required.

Conversion to editable Word and Excel® Files

Scanned documents can be converted to Microsoft WordR and ExcelR format so you can edit them easily*. Documents can be retrieved from your server and easily used, saving time and hassle for users by eliminating rekeying chores.

* Optional. The Advanced Scan Kit is required.



"A3 with Crop Mark" Support

With paper up to 330×457 mm in size loaded in Tray 1 in the printer unit, you can print documents with A3 full crop marks. Solid and halftone colour images can also be imaged on A3 size paper sheets, so you have unlimited potential to produce captivating A3 documents and marketing material.



A3 Output Sample with Crop Mark

Data compression cuts transmission loads

Data compression is applied during full colour document scanning so the file size is smaller. When originals use fewer colours, the full-colour scanned document will be reduced in file size to a monochrome equivalent. This reduces the file size of e-mail attachments, and speeds up communication*.

* Optional accessories may be required.

Support in environments operating separate, independent networks

Two Ethernet networks* can be connected to a single device, supporting customers with requirements for an additional private network due to information security reasons.

- * Optional.
- * Print function only. Supported protocol: TCP/IP (lpd, Port9100) only.

Easy printing wherever you are

Mobile Print Utility for iOS / Android

This free Fuji Xerox application lets you print web pages, pictures, DocuWorks and PDF documents '1, and import scanned documents to mobile devices. You can configure it to print N-up and duplex. Server-less On-demand printing '2 is also available by assigning authentication information. Additionally, the application is supported by standard printing frameworks on Android™ OS 4.4 or later.

- * Print Utility can be downloaded for free from the App Store (iOS) or Google Play™(Android).
- *1: Outputting DocuWorks and PDF documents requires DocuWorks Viewer Light for iPhone/iPad or DocuWorks Viewer Light for Android.
- *2: Optional.

Google Cloud Print

By registering the multifunction device with Google Cloud Print, you can send documents via the cloud from Android $^{\mathbb{M}}$ devices, Chromebook $^{\mathbb{M}}$ and PC's.



* Google Cloud Print is a web printing service provided by Google.

Wi-Fi Direct®

Users can connect the ApeosPort-V series devices anywhere, without the need for network cabling.

* Optional.

AirPrint

Apple® AirPrint™ allows printing email, photos and important office documents directly from Apple iPhone®, iPad® or Mac devices with no drivers to install..



Mopria™ Print

Print even more easily from Android. The Mopria
Print Service is an application which lets you print
directly from devices running Android 4.4 (KitKat)
or later. Documents such as photographs, web pages and PDF
files can be printed easily via a wireless LAN to Mopria-certified
output devices.

* Mopria Print Service can be downloaded for free from Google Play™. (Android™ 4.4 or later)

Feature-rich and easy to use

Easy Fingertip Control

The new ApeosPort-V series take advantage of technology seen in smartphones and tablets by enabling users to operate the devices intuitively, for faster and more efficient production. Four different gestures – tap, double-tap, drag and flick – can be used to scroll and switch functions smoothly and quickly.

* Pinch in and pinch out operations (zooming in/out with two fingers) are not supported.



Simpler Operations

Operation screens can be simplified and made easier than ever to navigate by installing a free optional software application – EasyUI Solution 2. This offers individual users a simple and easy-to-use operation screen, reducing working time.



Easy Copy lets you preview copy jobs – for example, N-up, two-sided and stapled – when you set these functions. Any finishing applications for Private Charge Print jobs can also be previewed before printing. This eliminates set-up mistakes and reduces waste from unnecessary printing and copying errors.



Users can also create a customised menu screen showing their most frequently used function buttons. As the device authenticates the user, their personal screen is displayed so they can start working immediately.



You can register most frequently used settings for Easy Copy and Easy Store to Folder as a One-touch App. This lets you start copying or scanning at the touch of a button on the Custom Menu.

Simpler scanning operation

Navigating and operating screens can be simplified with these installed applications offering individual users a simple and easy-to-use operation screen, reducing working time.

Easier scanning for personal use

Scanning is now much simpler with the automatic orientation of the document, correction of document skew and detection and deletion of blank pages.
The scan data destination is also set automatically during the authentication process.
Or, if ou prefer, you can select the destination quickly from your send history.



* ScanAuto is pre-installed, but must be configured before use.

Image quality control, when you need it most

- Simple Image Quality Adjustment (SIQA).
 Use this image enhancement tool for quick adjustment of registration and colour consistency.
- Customise your settings.

Custom paper setup lets you create, store, and retrieve unique paper profiles that can be used whenever you need them.

Experience the difference

Fuji Xerox iiX is a software integration layer allowing your ApeosPort-V solution to adapt to fit the way you work, not the other way around.

In adopting this approach to developing an integration layer in each ApeosPort-V solution, Fuji Xerox can unleash the powerful features of its technology and create personalised and customised document management solutions that you can access right from the device touch screen. These solutions can leverage your existing infrastructure and databases.

Cost management

In years gone by, the costs of office printing were frequently borne by the IT department alone and reported as a consolidated cost of doing business, without the visibility of who was printing what.

Some of the benefits of implementing one of Fuji Xerox's cost management solutions include:

- Identifying output costs down to the individual user, in order to keep operating costs low
- Precisely allocate/disperse costs to client accounts/internal cost centres or individual users
- Improved document and device security
- Print documents from just about anywhere, anytime and pick up their jobs at the time and location of their choosing
- Minimise security breaches caused by confidential printouts left unclaimed
- Enhance your sustainability initiatives by reducing paper and energy use
- Encourage mobile flexibility with smartphones and tablets
- Reduce waste and misuse of resources

Mobility solutions

Smart phones keep getting smarter. Applications for tablet computers are emerging at dizzying speeds. And the cloud that links them all is limitless in scope. Mobile computing is no longer a technology trend, but rather, an integral component for your business to improve customer experience when dealing with you.

As mobile devices encroach even further into the Australian corporate space, Fuji Xerox has the answers to enable customers to take advantage of this new "wave" of technology.

Fuji Xerox mobility solutions can enhance the usability of mobile devices in the workplace to improve productivity for users on the move. From simply printing documents and photos stored on a mobile device to integrating these mobile devices with your existing system to enhance document sharing and collaboration.

Cloud solutions

The Internet has fundamentally changed the way we do business today. The demand to access information instantly from anywhere, anytime is critical to the growth of your business. Respond to this demand quickly and affordably with innovative Fuji Xerox Cloud Solutions.

Working Folder is an easy, affordable and reliable way to store documents, collaborate on content or digitise inbound paper transmissions helping you to shift your business into the mobile era.

Connect to for Salesforce can free up more productive time by reducing manual steps in uploading documents to your CRM – Salesforce. From your networked device you can connect to one of the industry leading CRM solutions. All you need is an optional enabler from Fuji Xerox and a subscription to Salesforce.







Conserve energy with environmental technologies

"Real Green" solutions

Fuji Xerox is committed to real, measurable green solutions in office environments. These can be achieved while at the same time improving user convenience and efficiency during operations.



Powerful, yet power saving

Fuji Xerox has adopted LED technology for image scanning because it significantly lowers the power consumption of devices. Fuji Xerox's Smart Energy Management Technology also saves power during operations and lowers noise levels in your office, contributing to a more comfortable workplace while promoting greater productivity.

Two second start up time – no need to wait!

When the ApeosPort-V series recovers from sleep mode, it takes only two seconds to start working. Even if the device is routinely set to sleep mode to reduce power use, users don't experience any delays in set-up and operation.

Smart Energy Management Technology

Our innovative Smart Energy Management Technology reduces energy usage by only activating the functions required by the user. What's more, you will enjoy a much quieter office environment.

EA-Eco Toner reduces thermal emissions

Fuji Xerox uses "EA-Eco Toner" containing base materials that melt at a lower temperature than conventional toner. This can reduce power consumption during the fusing process, and delivers vibrant glossy images. The use of fusing oil is no longer necessary because wax is incorporated in the toner particles, so you can attach sticky notes or write on the printed surface without marking it.

Improved energy efficiency

The new ApeosPort-V series has achieved 6.6 kWh^{*1} for TEC value^{*2}, which conforms to International ENERGY STAR[®] Program standards. This is a significant contributor to lower power consumption.

- *1: For ApeosPort-V C5585.
- $^{\star}2:$ Value measured by the test defined in International ENERGY STAR $^{\!0}$ Program.



ApeosPort-V C5585 6.6 kWh ApeosPort-V C6685 7.1 kWh ApeosPort-V C7785 7.5 kWh

Sustainability commitment

Fuji Xerox Australia has a long standing commitment to sustainability. From our customised cartridge recycling program to our award-winning remanufacturing process, we are committed to reducing our environmental impact and that of our customers.


Fuji Xerox devices are all designed with the environment in mind, with a range of environmentally-friendly features. In addition, our range of software solutions can minimise wasted resources like toner and paper, as well as wasted time and effort. This enables our customers to not only reduce their environmental impact but also save money by operating more efficiently.

Recovery box services:

Fuji Xerox Australia offers a recovery box service free of charge to metropolitan customers. At your request, we will provide a sturdy box in which to store your used consumables and packaging.

When the box is full, simply call us and a Fuji Xerox valet will collect and replace it with a new one. This program reduces landfill, conserves natural resources, and enables you to dispose of your used products quickly and easily.

To order a recovery box, call 1800 028 962.



How can we support you

Your decision to invest in products from Fuji Xerox Australia ensures that your business enjoys the highest standards in technology. To maximise uptime and business productivity, we offer a comprehensive range of support options so that from the moment of installation, you receive optimum reliability and performance from your new solution. Online, on the phone, and on-site – our team is available around the clock so you are never without support.

Service capability and performance certification

Fuji Xerox is the only company of its kind in Australia with the internationally recognised Service Capability and Performance Certification. This prestigious award requires annual company reviews of corporate commitment research and development, strategic direction, performance metrics and customer satisfaction. Year after year, our Customer Technical Support group and Online Support Centre have achieved this international certification, delivering to our customers some of the most effective, high quality support services within the industry. For additional information on the SCP Certification, visit www.scpcertification.com

Extra Functionality in Finishing



Stapling*1

Stapling multiple pages documents, such as meeting materials into sets, is available.



Punch

A hole punch process can be used for filing documents in binders



Saddle Staple

This Single Fold and stapling process is ideal for creating catalogues and booklets.



Z Fold Half sheet*2

Z Fold Half sheet is a useful method to combine A3 documents into A4 size.



The C-fold is useful when creating materials enclosed in envelopes.

		C3 Finisher	C3 Finisher with Booklet Maker	C3 Finisher with Booklet Maker + Folder Unit CD1	D2P Finisher with Booklet Maker + D2 Folder Unit
Stapling th	ickness	50 sheets	50 sheets	50 sheets*1	100 sheets*1
Punch		2/4 hole punch* ² or 2/3 hole punch* ³	2/4 hole punch*2 or 2/3 hole punch*3	2/4 hole punch*2 or 2/3 hole punch*3	2/4 hole punch or 3 hole punch*4
Saddle Staple		_	0	0	0
Single Fold		_	0	0	0
Tri-fold		_	_	O*5	O*6
Z Fold Half	sheet	<u> </u>	_	O*5	O*6
Tray	Output tray	500 sheets	500 sheets	500 sheets	500 sheets
capacity*7	Finisher tray	3000 sheets	1500 sheets	1500 sheets	2000 sheets

- *1: Staple capacity decreases when Z-fold sheets are mixed.
- *2: 2/4 Hole Punch Kit for C3 Finisher is required.
- *3: US 2/3 Hole Punch Kit for C3 Finisher is required.
- *4: 3 Hole Punch Kit is required. 2/4 Hole Punch Kit cannot be attached at the same time.
- *5: Folder Unit CD1 is required. Can also be installed on C3 Finisher.
- *6: D2 Folder Unit is required.
- *7: 64 gsm paper in A4 size.

Note: C3 Finisher or C3 Finisher with Booklet Maker requires Transport Unit V1.

Expand your capabilities

Standard internal paper trays can hold a total of 3,010 sheets* and 250 sheets in bypass tray. Increase productivity with uninterrupted long runs by adding an optional A4 high capacity feeder or oversized high capacity feeder to support an additional 2,000 sheets*.



Oversized High Capacity Feeder

The oversized high capacity feeder is also available supporting up to 300 gsm stock and enabling SRA3 full bleed applications.. The Air Assist feature ensures stable feeding of media such as coated paper. The upper section can be used to house consumables.



* 80 gsm paper.

Specifications of ApeosPort-V C7785 / C6685 / C5585

Basic Specifications/Copy Function

Item		ApeosPort-V C7785	ApeosPort-V C6685	ApeosPort-V C5585
Туре		Console		
Memory capacity		3 GB (Max: 3 GB)		
Hard disk capacity*1		320 GB or larger (Usal	ole space: 128 GB)	
Colour Capab	ility	Full Colour		
Scan Resolutio	on	600 x 600 dpi		
Printing Resolu	ution	2400 x 2400 dpi (High	Resolution Photo)	
			Text-Photo / Photo / Map)	
Warm-up Tim	e		seconds or less if the main	power is on (At room
		temperature 23°C)		
Original Size			2 mm (A3, 11 x 17") for bot	th Sheet and Book
Paper Size	Max	1 '	, 13 x 18" (330 x 457 mm)	
		-	mm) when using Bypass Tr	ray]
	Min	A5	\ 10 L N035	1 (420 225) ;
			nm) and Quadrate NO.3 En	iveiope (120 x 235 mm) wh
	Image loss	using Bypass Tray]	ail Edgo / O mm Dight 9. Lo	ft Edges 2 E mm
	Image loss width	Lead Edge 4.0 mm, Trail Edge 4.0 mm, Right & Left Edges 3.5 mm		
Paper	Paper Tray	64 to 220 gsm		
Weight*2	Bypass Tray	64 to 300 gsm		
First Copy Out	put Time		Monochrome priority mod	e)
			F / Colour priority mode)	
Continuous	A4 LEF /	B/W: 75 ppm	B/W: 65 ppm	B/W: 55 ppm
Copy Speed ^{*3}	B5 LEF	Colour: 70 ppm	Colour: 60 ppm	Colour: 50 ppm
	A4 / B5	B/W: 54 ppm	B/W: 47 ppm	B/W: 40 ppm
	D./	Colour: 51 ppm	Colour: 44 ppm	Colour: 36 ppm
	B4	B/W: 44 ppm Colour: 39 ppm	B/W: 39 ppm Colour: 36 ppm	B/W: 33 ppm Colour: 30 ppm
	A3	B/W: 37 ppm	B/W: 33 ppm	B/W: 27 ppm
	AJ	Colour: 35 ppm	Colour: 30 ppm	Colour: 25 ppm
Paper Tray	Standard		370 sheets + 1140 sheets +	
Capacity*4	Optional	HCF2 : 2000 sheets	77 0 31CCC3 + 1140 31CCC3 +	Dypuss Huy 250 sticets
	optional	HCF 2: 2000 sneets HCF B1-S: 2000 sheets		
	Max	5260 sheets [Standard		
Output Tray C		500 sheets (Simple Catch Tray)		
Power Supply		AC220-240 V +/- 10 %, 10 A, 50/60 Hz common		
Maximum Power		2.4 kW or less (AC220-240 V +/- 10%)		
Consumption		Sleep Mode: 1.0 W or less		
Consumption		Low Power Mode: 107 W or less		
		Ready Mode: 192 W or less		
Dimensions		[9" WVGA UI] W 700	x D 804 x H 1154 mm	
		[Large Size UI] W 102	22 x D 804 x H 1392 mm	
Weight ^{'5}		[9" WVGA UI] 240 kg		
		[Large Size UI] 247 kg		

Scan Function

Item		Description	
Type		Colour Scanner	
Scan Resolution		600 x 600 dpi, 400 x 400 dpi, 300 x 300 dpi, 200 x 200 dpi	
Scan Speed ¹		B/W: 100 ppm,Colour: 100 ppm	
		(1 pass, 2 sided scanning, B/W: 200 ppm, Colour: 200 ppm)	
		[Fuji Xerox Standard Paper (A4 LEF), 200dpi, to Folder.]	
Interface Standard		Ethernet 100BASE-TX / 10BASE-T	
	Optional	Ethernet 1000BASE-T	

^{*1} The scanning speed varies depending on the documents.

Customer Expectation Document (CED)

For detailed product specifications, optimum performance parameters and service clearances refer to the Customer Expectation Document.

Print Function

Item		Description	
Туре		Built-in type	
Continuous P	rint Speed ^{*1}	Same as the Basic Specifications / Copy Function	
Printing Reso	lution	600 x 600 dpi, 1200 x 1200 dpi, 2400 x 2400 dpi	
Page	Standard	PCL5 / PCL6	
Description Language	Optional	Adobe [®] PostScript [®] 3™	
Supported Operating System	Standard (PCL Driver)	Windows® 10 (32bit), Windows® 10 (64bit), Windows® 8.1 (32bit), Windows® 8.1 (64bit), Windows® 8 (32bit), Windows® 8 (64bit), Windows® 7 (32bit), Windows® 7 (64bit), Windows Vista® (32bit), Windows Vista® (64bit), Windows Server® 2012 R2 (64bit), Windows Server® 2012 R2 (64bit), Windows Server® 2012 R3 (32bit), Windows Server® 2008 (64bit), Windows Server® 2008 (64bit), Windows Server® 2003 (32bit), Windows Server® 2003 (64bit), Windows Server® 2003 (64bit)	
Standard (Mac OS X Driver)		OS X 10.10/10.9/10.8, Mac OS X 10.7/10.6/10.5	
	Adobe [®] PostScript [®] 3 [™] Driver	Windows® 10 (32bit), Windows® 10 (64bit), Windows® 8.1 (32bit), Windows® 8.1 (64bit), Windows® 8 (32bit), Windows® 8 (64bit), Windows® 7 (32bit), Windows® 7 (64bit), Windows Vista® (64bit), Windows Server® 2012 R2 (64bit), Windows Server® 2008 R2 (64bit), Windows Server® 2008 (32bit), Windows Server® 2008 (64bit), Windows Server® 2003 (54bit) Windows Server® 2003 (54bit)	
Interface	Standard	Ethernet 100BASE-TX / 10BASE-T, USB2.0	
	Optional	Ethernet 1000BASE-T ²	

^{*1} The speed may be reduced due to the image quality adjustment. The printing speed may be reduced depending on

Fax Function (Optional)

Item	Description	
Original Size	Max: A3, 11 x 17", Long document (Longest600 mm)	
Recording Paper Size	Max: A3, 11 x 17"	
	Min: A5	
Transmission Time	2 seconds and more but fewer than 3 seconds ^{*1}	
Transmission Mode	ITU-T G3	
Applicable Lines	Telephone subscriber line, PBX, Fax communication (PSTN), Maximum 3 ports ²	
	(G3-3 ports)	

^{*1} When A4 size document with approximately 700 characters is transmitted in standard image-quality (8 x 3.85 lines / mm) and in high-speed mode (28.8 kbps or faster, JBIG). Only indicates the time for transmitting the image information and does not include the communication control time. The total communication time will vary depending on the contents of the document, the type of machine receiving the fax, and line condition. *2 No.of FAX lines is up to 3 ports. Port refers to number of channels for FAX.

Duplex Automatic Document Feeder

Item	Description	
Original Size	Max: A3, 11 x 17"	
	Min: A5 ^{*1}	
Paper Weight	38 to 200 gsm (In Duplex: 50 to 200 gsm)	
Capacity*2	250 sheets	
Feeding Speed	B/W: 80 ppm	
(A4 LEF Simplex)	Colour: 75 ppm	

^{*1} The minimum custom size is 139.7 x 139.7 mm.

HCF2 (2000sheets) (Optional)

Item	Description
Paper Size	A4 LEF, Letter LEF, B5 LEF
Paper Weight	64 to 220 gsm
Feeding Capacity / Number of Tray 1	2000 sheets x 1-tray
Dimensions	W 389 x D 610 x H 377 mm
Weight	29 kg

^{*1 80} gsm paper.

HCF B1-S (Optional)

Item	Description
Paper Size	Postcard (100 x 148 mm) ¹ , B5, B5 LEF, 8 x 10" LEF (203 x 254 mm), Letter, Letter LEF, A4, A4 LEF, 8.5 x 13" (216 x 330 mm), Legal, B4, A3, 11 x 17", 12 x 18" (305 x 457 mm), 12.6 x 17.7" (320 x 450 mm), 12.6 x 19.2" (320 x 488 mm), 13 x 18" (330 x 457 mm), 13 x 19" (330 x 483 mm)
Paper Weight	64 to 300 gsm
Feeding Capacity / Number of Tray ²	2000 sheets x 1-tray
Power Supply ^{*3}	AC220-240 V +/- 10 %, 1.5 A, 50/60 Hz common
Dimensions	W 988 x D 762 x H 992 mm
Weight	160 kg ⁻⁴

Note When installing the both HCF B1-S and Large Size UI, not only Large Size UI Installation Kit but also Large Size UI

^{*1} The Storage Hard disk capacity is not totally available for customers.
*2 You are encouraged to use paper recommended by Fuji Xerox. Printing may not be performed correctly depending on

the conditions of usage.

*3 The speed may be reduced due to the image quality adjustment.

^{*4 80} gsm paper.
*5 Excluding Toner Cartridge.

^{*2} When this option is equipped, Ethernet 100BASE-TX/10BASE-T will not be available.

^{*2 64} gsm paper.

Installation Kit 2 are required.
*1 When using postcard guide.

^{*2 80} gsm paper. *3 Additional Power Cord (optional) is required.

^{*4} Excluding Bypass tray and operational panel.

C3 Finisher / C3 Finisher with Booklet Maker (Optional)

Item		C3 Finisher	C3 Finisher with Booklet Maker			
Туре	Output Tray	Sort / Stack				
	Finishing Tray	Sort (Offset available) / Stack (Offset available)				
	Booklet Tray	_	Sort / Stack			
Paper Size	Output Tray	Max: 13 x 19" (330 x 483 mm), 12.6 x 1	9.2" (320 x 488 mm)			
·	' '	Min: Postcard (100 x 148 mm)				
	Finishing Tray	Max: 13 x 19" (330 x 483 mm), 12.6 x 19.2" (320 x 488 mm)				
		Min: B5 LEF				
	Booklet Tray	_	Max: 13 x 18" (330 x 457 mm)			
			Min: B5			
Paper Weight	Output Tray	64 to 300 gsm				
	Finishing Tray	64 to 300 gsm				
	Booklet Tray	_	64 to 220 gsm			
Paper	Output Tray	500 sheets (A4)				
Capacity*1	Finishing Tray	(Without Stapling)	(Without Stapling)			
		A4: 3000 sheets	A4: 1500 sheets			
		B4or larger: 1500 sheets	B4or larger: 1500 sheets			
		Mixed Size Stacking ^{*2} : 300 sheets	Mixed Size Stacking*2: 300 sheets			
		(With Stapling)	(With Stapling)			
		A4: 200 sets or 3000 sheets	A4: 200 sets or 1500 sheets			
		B4or larger: 100 sets or 1500 sheets Mixed Size Stacking ^{*2} : 70 sets or 200	B4or larger: 100 sets or 1500 sheets Mixed Size Stacking ² : 70 sets or 200			
		sheets : 70 sets or 200				
	Booklet Tray	sneets	sheets 20 sets ³			
Staple	Capacity	50 sheets (90 gsm or less)*4	20 sets			
Staple	Paper Size					
	Paper Size	Max: A3, 11 x 17"				
	Position	Min: B5 LEF				
Punch*5	Number of	Single stapling, Dual stapling 2-hole / 4-hole punch or 2-hole / 3-hole punch (US Specifications)				
runcii	Holes					
	Paper Size		etter LEF, B5 LEF, 7.25×10.5" (184 x 267			
		mm), 8 x 10" (203 x 254 mm) ⁵ , 16K (194 x 267 mm), Cover A4 (223 x 297 mm 9 x 11" (229 x 279 mm), 215 x 315 mm, 8.5 x 13" (216 x 330 mm) ⁵ , Legal, 11 x				
		15" (279 x 381 mm), 8K (267 x 388 mm)			
	Paper Weight	64 to 200 gsm				
Booklet	Capacity	_	Saddle Staple: 16 sheets*7			
Finishing			Middle-Fold: 5 sheets			
			Single Fold: 1 sheet			
	Paper Size	_	Max: 13 x 18" (330 x 457 mm)			
			Min: B5			
	Paper Weight	_	Saddle Staple: 64 to 220 gsm			
			Middle-Fold: 64 to 220 gsm Single Fold: 64 to 220 gsm			
Dimensions ^{*8}		W 840 x D 589 x H 1056 mm	W 898 x D 589 x H 1056 mm			
DITHERISIONS		When Folder Unit CD1 is installed: W	When Folder Unit CD1 is installed: W			
		1023 x D 726 x H 1056 mm	1083 x D 726 x H 1056 mm			
Weight		44 kg	61 kg			
vveigni			When Folder Unit CD1 is installed: 117 k			
		I THE TOTAL OF THE COTTS INSTAILED. TOO KG	Twiter rolder office CDT is installed. 117 kg			

Note Transport Unit V1 is required.

164 gsm paper.

12 When larger size sheets are stacked on top of smaller size sheets.

13 When the output paper size is the same.

³ Up to 65 sheets can be stapled when the C3 Finisher Staple Unit 65 Sheets is installed. However, depending on the paper type, incorrect stapling such as uneven edge alignment of sets may occur.

*5 Optional

*6 3-hole punch is not applicable.

*7 The maximum number of sheets varies depending on the type of paper used for the cover. The booklet may become unfolded depending on the paper size or the type of paper used.

 *8 Main Unit + Finisher + Transport Unit V1; when the Extension Tray is fully extended.

D2P Finisher with Booklet Maker (Optional)

Item		Description		
Туре	Output Tray	Sort / Stack		
	Finishing Tray	Sort (Offset available) / Stack (Offset available)		
	Booklet Tray	Sort / Stack		
Paper Size	Output Tray	Max: 13 x 19" (330 x 483 mm), 12.6 x 19.2" (320 x 488 mm)		
·	' '	Min: Postcard (100 x 148 mm)		
	Finishing Tray	Max: 13 x 19" (330 x 483 mm), 12.6 x 19.2" (320 x 488 mm)		
		Min: B5 LEF		
	Booklet Tray	Max: 13 x 18" (330 x 457 mm)		
		Min: A4, Letter		
Paper Weight	Output Tray	64 to 300 gsm		
	Finishing Tray	64 to 300 gsm		
	Booklet Tray	64 to 220 gsm		
Paper	Output Tray	500 sheets (A4)		
Capacity*1	Finishing Tray	[Without Stapling]		
		A4: 2000 sheets, B4 or larger: 1500 sheets, Mixed Size Stacking 2: 300 sheets		
		[With Stapling]		
		A4: 200 sets or 2000 sheets, B4 or larger: 100 sets or 1500 sheets		
	Booklet Tray	20 sets ³		
Staple	Capacity	100 sheets ^{*4} (90 gsm or less)		
	Paper Size	Max: A3, 11 x 17"		
		Min: B5 LEF		
	Position	Single stapling, Dual stapling, Four-position stapling ^{*5}		
Punch	Number of Holes	2-hole / 4-hole punch or 2-hole / 3-hole punch (US Specifications)		
	Paper Size	A3", 11 x 17"6, B4, A4, A4 LEF", Letter, Letter LEF", B5 LEF, 7.25 x 10.5" LEF (267 x 184 mm) %, 8 x 10" (203 x 254 mm), 8 x 10" LEF (254 x 203 mm), 16K LEF (267 x 194 mm) %, Cover A4 LEF (297 x 223 mm) %, 9 x 11" (229 x 279 mm) %, 215 x 315 mm, 8.5 x 13" (216 x 330 mm), Legal, 11 x 15" (279 x 381 mm) %, 8K (267 x 388 mm) %		
	Paper Weight	64 to 220 gsm		
Booklet	Capacity	Saddle Staple: 20 sheets ^{*7}		
Finishing		Middle-Fold: 5 sheets		
		Single Fold: 1 sheet		
	Paper Size	Max: 13 x 18" (330 x 457 mm)		
		Min: A4, Letter		
	Paper Weight	Saddle Staple: 64 to 220 gsm		
		Middle-Fold: 64 to 220 gsm		
		Single Fold: 64 to 220 gsm		
Interposer [®]	Paper Size	Max: A3, 11 x 17", Min: B5 LEF		
	Paper Weight	64 to 220 gsm		
	Paper	200 sheets		
	Capacity ¹¹			
Power Supply		AC220-240 V +/- 10 %, 1 A, 50/60 Hz common		
Maximum Pov	ver	240 W or less		
Consumption		150		
Dimensions		W 1050 x D 725 x H 1165 mm ¹⁰		
		When D2 Folder Unit is installed: W 1250 x D 725 x H 1165 mm ¹⁰		
Weight		135 kg		
		When D2 Folder Unit is installed: 175 kg		

^{*1 64} gsm paper.

*2 When larger size sheets are stacked on top of smaller size sheets.

*3 Paper may not be accepted depending on paper type and other usage conditions.

*4 65 sheets for sizes exceeding A4 or letter. The staple capacity may be less than 100 sheets for paper that is larger than 80 gsm.

5 Only available on A4 landscape and 8.5 x 11.

*6 4-hole punching available. *7 19 sheets with a cover.

*9 Power supply separate from the main unit is required. *10 When the Extension Tray is pulled out.

Folder Unit (Optional)

	Folder Unit CD1 (C3 Finisher /	D2 Folder Unit (D2P Finisher with
	C3 Finisher with Booklet Maker)	Booklet Maker)
Paper Size	A3, 11 x 17", B4	
Paper Weight	64 to 90 gsm	
Paper Size	A4, Letter	
Paper Weight	64 to 90 gsm	
Paper Capacity*1	40 sheets	
	AC220-240 V +/- 10 %, 0.6 A, 50/60 Hz common ⁻²	(—) (Supplied via D2P Finisher with Booklet Maker)
/er	144 W or less (AC220-240 V +/- 10%)	(—) (Supplied via D2P Finisher with Booklet Maker)
	W 232 x D 726 x H 991 mm	W 200 x D 725 x H 1165 mm ^{*3}
	53 kg	40 kg
	Paper Weight Paper Size Paper Weight Paper Paper Capacity	C3 Finisher with Booklet Maker) Paper Size

*2 When equipped with a folder unit, a power source separate from the main unit is required.

*3 Depth and Height indicate the depth and height when connected with a D2P Finisher with Booklet Maker.

- Notes

 1) If the storage media (such as hard disk drives) of the base unit fail, loss of received data, accumulated data, registered setting data, etc. may occur. In no event shall Fuji Xerox be liable for any damages whatsoever arising from loss of data.

 2) Functional spare parts will be available for at least 7 years after the product is no longer manufactured.

 3) The product specifications, appearance and other details in this brochure are subject to change without notice for improvements.

 $^{^{\}ast}8$ Nothing will be printed on the sheets loaded in the Interposer.

About Fuji Xerox Australia

With a noble purpose of 'liberating people to work smarter', Fuji Xerox Australia helps its clients to deliver the right information to the right people in the right format. This is achieved through the implementation of efficient business processes and effective communication. Fuji Xerox Australia is well recognised for its commitment to sustainability having received several awards including a United Nations 500 Roll of Honour listing and a Banksia Award for leadership in sustainability.

For more information, visit www.fujixerox.com.au or www.fxasustainability.com.au

Descriptions in this material, product specifications and / or appearances are subject to change without prior notice due to improvements. Please note that the product colour appears differently from the actual colour as a result of properties of papers or printing ink. Other company names or product names are registered trademarks or trademarks of each company. Spares for the standard configuration of installed machines is supported for up to 7 years from the date of the end of machine production.

All product names and company names mentioned in this brochure are trademarks or registered trademarks of their respective companies.

 $\textbf{Reproduction Prohibitions} \quad \text{Please note that reproduction of the following is prohibited by law:} \\$ Domestic and foreign currencies, government-issued securities, and national bonds and local bond certificates. Unused postage stamps, post cards, etc.

Certificate stamps stipulated by law. Reproducing works forming the subject matter of copyright (literary works, musical works, paintings, engravings, maps, cinematographic works, drawings, photographic works, etc.) is not permitted unless the reproduction is for the purpose of personal use, family use or other similar uses within a limited circle.









For Your Safety

Before using the product, read the Instruction Manual carefully for proper use. Use the product with the power source and voltage specified. Be sure to establish ground connection. Otherwise, electronic shock may result in the case of a failure or short circuit



For more information or detailed product specifications,

Please call us on 02 4220 5000 or visit us at fxillawarra.com.au

FUJI XEROX BUSINESS CENTRE ILLAWARRA

87 Auburn Street, Wollongong NSW 2500

ABN: 62 096 607 135